



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

(C)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/816,922	04/05/2004	Kiyoshi Sugioka	1080.1138	2608
21171	7590	11/01/2006	EXAMINER	
STAAS & HALSEY LLP			HO, BINH VAN	
SUITE 700			ART UNIT	PAPER NUMBER
1201 NEW YORK AVENUE, N.W.				
WASHINGTON, DC 20005			2163	

DATE MAILED: 11/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	10/816,922	SUGIOKA, KIYOSHI
	Examiner Binh V. Ho	Art Unit 2163

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 05 April 2004.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-8 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1-8 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on 05 April 2004 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:

- Certified copies of the priority documents have been received.
- Certified copies of the priority documents have been received in Application No. _____.
- Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 04/05/2004.

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.

5) Notice of Informal Patent Application
6) Other: _____.

DETAILED ACTION

Drawings

1. Figure 12 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1,4-8,10,14-20,23-29,32-35,38-41, and 45-47 are rejected under 35 U.S.C. 102(e) as being anticipated by Yuasa (US 2003/0090502).

(Claims 1, 3-4, and 6-7)

Yuasa discloses in figures 1-2, 4, 6-8, 10-11, 13, and 15, a data file system, comprising a plurality of data access nodes which access data which the data access nodes being responsible for accessing respectively; and a brain node having an association table management section which manages an association table which describes an association between node IDs for discriminating among the plurality of

data access nodes and data IDs each for identifying data which a data access node identified by a node ID is capable of accessing; a request reception section which receives a data access request from a client; a node search section which refers to the association table to search for a data access node which is capable of accessing the data for which the data access request is intended; and a request transmission section which transmits the data access request to the data access node which is capable of accessing the data for which the data access request is intended, wherein each of the plurality of data access nodes has a request reception section which receives the data access request transmitted from the brain node; a data access section which accesses the data designated by the data access request received at the request reception section of each of the data access nodes; and a result transmission section which transmits the result of the data access by the data access section to the client which has made the data access request (Paragraph [0029], [0032], [0034], [0039]-[0042], [0044], [0046], [0048]-[0050], [0052], [0054], [0056]-[0057]).

(Claims 2, 5, and 8)

Yuasa discloses in figure 1, the association table management section manages an association table that describes an association between the node IDs and protocol IDs each for identifying an access protocol used by a data access node identified by a node ID in addition to the association between the node IDs and the data IDs, and if the data access request received by the request reception section is a request to create a new data file, the request transmission section transmits the data access request to a

data access node that uses an access protocol suitable for the protocol of the data access request (Paragraph [0032], [0033]).

Inquiry

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Binh V. Ho whose telephone number is 571 272 8583. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don K. Wong can be reached on 571 272 1834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



DON WONG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

Binh V Ho
Examiner
Art Unit 2163